

Hexa



terratinta 100%
ceramiche made in
Italy

HEXA SUMMARY 05


HEXA MOSAIC 08
matt

HEXA MOSAIC 42
mix matt/glossy/fabric

HEXA WALL 54
glossy

Technical features 66

Packaging 68





MOSAIC ± 4,5mm

Hexa


- MATT finish -



Hexagonal mosaic in 4,3x3,8cm chips and 31,6x31,6cm sheets, full body porcelain mosaic, high level technology made in Italy, suitable for floors and walls. Available in a minimalist MATT FINISH, in 15 contemporary colors which are the perfect interpretation of the latest design trends.


Mosaico esagonale in tessere di 4,3x3,8cm e fogli di 31,6x31,6cm, tecnologia di alto livello made in Italy, mosaico in gres porcellanato, adatto per pavimenti e rivestimenti. Disponibile in una finitura MATT minimalista, in 15 colori contemporanei che sono la perfetta interpretazione delle ultime tendenze del design.

- MIX matt /glossy/ fabric-




Hexagonal mosaic in 4,3x3,8cm chips and 31,6x31,6cm sheets, high level technology made in Italy, full body porcelain mosaic, suitable for floors and walls. Available in a mix of THREE FINISHES, matt, glossy (light polished effect) and fabric (materic look, like juta texture), in 6 colors inspired by Scandinavian design.

Mosaico esagonale in tessere di 4,3x3,8cm e fogli di 31,6x31,6cm, tecnologia di alto livello made in Italy, mosaico in gres porcellanato, adatto per pavimenti e rivestimenti. Disponibile in un MIX DI TRE FINITURE, matt, glossy (effetto lucido) e fabric (aspetto materico, come la texture juta), in 6 colori ispirati al design scandinavo.



Hexa

WALL ± 10mm
- GLOSSY finish -



Extruded white body ceramic tiles, semi hand made technology with a unique handcrafted effect: this is Hexa Wall, a hexagonal glazed extruded white body in 17,3x15cm. Available in 5 colors, soft GLOSSY FINISH, only for wall use. Vintage style beside new trendy shades: this is warm minimalism.

Piastrelle ceramiche estruse in pasta bianca, tecnologia semi-artigianale con un effetto "fatto a mano" unico: questo è Hexa Wall, un formato esagonale estruso in pasta bianca in 17,3x15cm. Disponibile in 5 colori, finitura GLOSSY morbida, solo per rivestimenti. Stile vintage unito alle nuove tonalità di tendenza: questo è minimalismo caldo.

"Color is a power which directly influences the soul."
~ Wassily Kandinsky


DUTCH WHITE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Dutch White mosaic 31,6x31,6cm matt_floor


LAUREL GREEN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Laurel Green mosaic 31,6x31,6cm matt_wall


AZURE MIST

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

mat finish

± 4,5mm

Hexa



HEXA Azure Mist mosaic 31,6x31,6cm matt_wall


CADET BLUE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Cadet Blue mosaic 31,6x31,6cm matt_wall



AEGEAN BLUE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Aegean Blue mosaic 31,6x31,6cm matt_wall


ROSY BLUSH

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

≅ 4,5mm

Hexa



HEXA Rosy Blush mosaic 31,6x31,6cm matt_wall


WILD SAGE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Wild Sage mosaic 31,6x31,6cm matt_wall



HEXA Wild Sage mosaic 31,6x31,6cm matt_wall
GRAINED Zinc 120x120cm matt_floor


GREEN ECHO

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Green Echo mosaic 31,6x31,6cm matt_floor



OCEAN WAVE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Ocean Wave mosaic 31,6x31,6cm matt_wall and floor


DEEP NAVY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

mat finish

± 4,5mm

Hexa



CEPPO *light* Grey 120x260cm matt_wall
HEXA Deep Navy mosaic 31,6x31,6cm matt_floor



CEPPO *Light* Grey 120x260cm matt_wall
HEXA Deep Navy mosaic 31,6x31,6cm matt_floor

BLACK SWAN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa




HEXA Lemon Sorbet mosaic 31,6x31,6cm matt_wall
HEXA Black Swan mosaic 31,6x31,6cm matt_floor

LEMON SORBET

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm




CHERRY PIE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm



Hexa



HEXA Cherry Pie mosaic 31,6x31,6cm matt_wall
STONENATURE Salt 60x60cm wet_floor


RUSTY RED

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Rusty Red mosaic 31,6x31,6cm matt_wall
BETONTECH *Light* White 120x260cm matt_floor



YELLOW CORN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

matt finish

± 4,5mm

Hexa



HEXA Yellow Corn mosaic 31,6x31,6cm matt_wall
OPPDAL Kull 60x120cm matt_floor


ROSY BLUSH

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

mix **matt/glossy/fabric** finish

± 4,5mm

Hexa




BETONSTIL Concrete Warm 60x60cm matt_wall
HEXA Rosy Blush mosaic 31,6x31,6cm mix matt/glossy/fabric_floor

WILD SAGE

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
± 4,5mm

Hexa



HEXA Wild Sage mosaic 31,6x31,6cm mix matt/glossy/fabric_wall
KOS Vit 60x60cm matt_wall
KOS Antracit 90x90cm matt_floor


DEEP NAVY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

mix **matt/glossy/fabric** finish

± 4,5mm

Hexa




HEXA Deep Navy mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

COTTON CANDY

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
± 4,5mm

Hexa




HEXA Cotton Candy mosaic 31,6x31,6cm mix matt/glossy/fabric_wall

RUSTY RED

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)
mix **matt/glossy/fabric** finish
≅ 4,5mm

Hexa



HEXA Rusty Red mosaic 31,6x31,6cm mix matt/glossy/fabric_wall
BETONTECH *Light* White 120x260cm matt_wall
GRAINED Zinc 60x120cm matt_floor



YELLOW CORN

Mosaic 31,6x31,6cm (chip 4,3x3,8cm)

mix **matt/glossy/fabric** finish

± 4,5mm

Hexa




HEXA Yellow Corn mosaic 31,6x31,6cm mix matt/glossy/fabric_wall
KOS Vit 90x90cm matt_floor

CHERRY PIE

Hexa Wall 17,3x15cm
glossy finish
± 10mm

Hexa



HEXA Wall Cherry Pie 17,3x15cm glossy_wall
HEXA Lemon Sorbet mosaic 31,6x31,6cm matt_floor


GREEN ECHO

Hexa Wall 17,3x15cm

glossy finish

± 10mm

Hexa



HEXA Wall Green Echo 17,3x15cm glossy_wall

OCEAN WAVE

Hexa Wall 17,3x15cm

glossy finish

± 10mm

Hexa



HEXA Wall Ocean Wave 17,3x15cm glossy_wall



HEXA Wall Ocean Wave 17,3x15cm glossy_wall
KOS Moln 60x60cm matt_floor

BLACK SWAN

Hexa Wall 17,3x15cm

glossy finish

± 10mm

Hexa



HEXA Wall Black Swan 17,3x15cm glossy_wall



LEMON SORBET

Hexa Wall 17,3x15cm

glossy finish

± 10mm

Hexa












HEXA Wall Lemon Sorbet 17,3x15cm glossy_wall

TECHNICAL FEATURES

Hexa MOSAIC

TECHNICAL FEATURES UNGLAZED PORCELAIN STONEWARE MOSAICS

CONFORMING TO EUROPEAN STANDARDS EN 14411 ISO 13006 ANNEX G (GROUP BIA UGL EB ≤ 0,5%)
 CARATTERISTICHE TECNICHE GRÉS PORCELLANATO NON SMALTATO Conformi a Norme Europee EN 14411 ISO 13006 Appendice G (Gruppo Bla UGL Eb ≤ 0,5%)
 TECHNISCHE EIGENSCHAFTEN UNGLASIERTES FEINSTEINZEUG Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix G (Gruppe Bla UGL Eb ≤ 0,5%)
 CARACTERISTIQUES TECHNIQUES GRÉS CERAME FIN NON EMAILLE Conformes aux Normes Européennes EN 14411 ISO 13006 Annexe G (Groupe Bla UGL Eb ≤ 0,5%)

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	REFERENCE STANDARD RIFERIMENTO NORMA STANDARDWERT RÉFÉRENCE NORME	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
	Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	EN ISO 10545-3	E _b ≤ 0,5%	Compliant Conforme Erfüllt Conforme
	Abrasion resistance Resistenza all'abrasione Abriebbeständigkeit Résistance à l'abrasion	EN ISO 10545-6	175 mm ³ max	Compliant Conforme Erfüllt Conforme
	Thermal expansion coefficient Coefficiente di dilatazione termica lineare Wärmeausdehnung Coefficient de dilatation thermique linéaire	EN ISO 10545-8	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	≤9 MK-1
	Thermal shock resistance Resistenza agli sbalzi termici Temperaturwechselbeständigkeit Résistance aux écarts de température	EN ISO 10545-9	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO10545-1	Resistant Resistente Widerstandsfähig Résistant
	Frost resistance Resistenza al gelo Frostbeständigkeit Résistance au gel	EN ISO 10545-12	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO 10545-1	Resistant Resistente Widerstandsfähig Résistant
	Resistance to low concentrations of acids and alkali Resistenza a basse concentrazioni di acidi e alcali Beständigkeit gegen schwach konzentrierten Säuren und Laugen Résistance à des basses concentrations d'acides et bases	EN ISO 10545-13	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From ULA to ULB Da ULA a ULB Von ULA bis ULB De ULA jusqu'à ULB
	Resistance to high concentrations of acids and alkali Resistenza ad alte concentrazioni di acidi e alcali Beständigkeit gegen stark konzentrierten Säure und Laugen Résistance à des hautes concentrations d'acides et bases		*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From UHA to UHB Da UHA a UHB Von UHA bis UHB De UHA jusqu'à UHB
	Resistance to domestic chemicals and additives for swimming pools Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Beständigkeit gegen chemischen Haushaltsreiniger und Zusatzstoffe für Schwimmbäder Résistance aux prod. chimiques d'usage domestique et additifs pour piscines		UB min.	UA
	Stain resistance of unglazed porcelain Resistenza alle macchie di piastrelle non smaltate Fleckenbeständigkeit von unglasierten Fliesen Résistance aux tâches des carreaux non emailés	EN ISO 10545-14	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	CLASS 5
	Colors resistance to light Resistenza dei colori alla luce Lichtbeständigkeit Résistance des couleurs a la lumière	DIN 51094	No noticeable color change. Non devono presentare apprezzabili variazioni di colore. Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen. Ne doivent pas présenter de variations importantes des couleurs.	No alteration after testing Materiale inalterato dopo il test Keine Veränderung nach dem Test Aucune altération relevée
	Friction coefficient (Slipperiness) Coefficiente di attrito (Scivolosità) Reibungskoeffizient (Schlupfrigkeit) Coefficient de friction (Glissement)	DIN 51130		R10
		ANSI A137.1 (DCOF)	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	>0,42

MATT V1 UNIFORM





MIX V2 MODERATE

TECHNICAL FEATURES

Hexa WALL

TECHNICAL SPECIFICATIONS OF WHITE-BODY WALL TILES

CONFORMING TO EN 14411 ISO 13006 STANDARDS ANNEX L GROUP BIII GL EB > 10%
 CARATTERISTICHE TECNICHE RIVESTIMENTI IN PASTA BIANCA Conformi a Norme Europee EN 14411 ISO 13006 Appendice L (Gruppo BIII GL Eb > 10%)
 TECHNISCHE EIGENSCHAFTEN FÜR WANDFLIESEN AUS WEISSER MASSE Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix L (Gruppe BIII GL Eb > 10%)
 CARACTÉRISTIQUES TECHNIQUES DES REVÊTEMENTS EN PÂTE BLANCHE Conformes aux Normes Européennes EN 14411 ISO 13006 Annexe L (Groupe BIII GL Eb > 10%)

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
	Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	UNI EN ISO 10545-3	AA>10% GRUPPO BIII
	Breaking strenght Carico di rottura Bruchlast Charge de rupture	UNI EN ISO 10545-4	RM>150Kg/cm ²
	Glaze crazing resistance Determinazione della resistenza al cavillo Glasurhaarrißbeständigkeit Résistance aux taches	UNI EN ISO 10545-11	Resistant Resiste Widerstandsfähig Résistant
	Chemical resistance Resistenza ai prodotti chimici Chemikalienbeständigkeit Résistance aux produits chimiques	UNI EN ISO 10545-14	Conforming Conforme Erfüllt Conforme
		UNI EN ISO 10545-13	

VI UNIFORM

Hexa

PACKAGING

	BOX			PALLET		
	PCS	SQ.MT.	KG	BOXES	SQ.MT.	KG
Hexa mosaic 31,6x31,6 - 12"x12"	10	1	10	54	54	560
Hexa Wall 17,3x15 - 7"x6"	24	0,46	8,48	64	29,44	563

Hexa

CODES

	LEMON SORBET	DUTCH WHITE	YELLOW CORN	LAUREL GREEN	WILD SAGE	GREEN ECHO
Mosaic MATT 31,6x31,6	TTHX05MHN	TTHX17MHN	TTHX14MHN	TTHX18MHN	TTHX11MHN	TTHX07MHN
	ROSY BLUSH	CHERRY PIE	RUSTY RED	AZURE MIST	CADET BLUE	AEGEAN BLUE
	TTHX10MHN	TTHX06MHN	TTHX13MHN	TTHX19MHN	TTHX20MHN	TTHX21MHN
	OCEAN WAVE	DEEP NAVY	BLACK SWAN			
	TTHX08MHN	TTHX12MHN	TTHX09MHN			

	ROSY BLUSH	WILD SAGE	DEEP NAVY	COTTON CANDY	RUSTY RED	YELLOW CORN
Mosaic MIX 31,6x31,6	TTBSTO2MHMIX	TTBSTO3MHMIX	TTBSTO4MHMIX	TTBSTO1MHMIX	TTHX15MHMIX	TTHX16MHMIX

	CHERRY PIE	GREEN ECHO	OCEAN WAVE	BLACK SWAN	LEMON SORBET
Wall 17,3x15	TTHXW06G	TTHXW07G	TTHXW08G	TTHXW09G	TTHXW05G

"Stay hungry, stay foolish."

S. Jobs 1955-2011



#notaclassicstory


brand of **Terratinta Group Srl SB**


// 45, via Viazza II Tronco

41042 Fiorano Modenese (MO) Italy

T +39 0536911408

F +39 05361940223

 Terratinta Group

 terratinta_ceramiche //

#terratintastyle



terratinta
ceramiche

100%
made in
Italy

terratinta.com